



2010
State Agronomy CDE
Montana State University
Herbicides & Pesticides

Please do not write on this test!

Please fill out "Back of scantron, Identification section two, numbers 26-40"

Herbicide 1: Curtail

26. Curtail has superior control over:
000. Thistles
111. Knapweeds
222. Clovers
333. All of the Above
27. Curtail should be applied:
000. Before weeds have emerged
111. After thistles start budding
222. To actively growing weeds
333. When grasses have just emerged
28. Should higher rates be used on well established stands?
000. Yes
111. No
29. Is Curtail a Restricted Use Product?
000. Yes
111. No
30. How many days after application can hay be cut?
000. 15
111. 48
222. 25
333. 30

Pesticide 1: Silencer

31. Silencer is used to control:

- 000. Aphids
- 111. Ergot
- 222. Grasshoppers
- 333. Cutworms

32. How many gallons/acre should be applied by ground?

- 000. 5
- 111. 10
- 222. 15
- 333. 20

33. How many applications per acre per season are allowed?

- 000. 1
- 111. 2
- 222. 3
- 333. 4

34. This product is not toxic to wildlife.

- 000. True
- 111. False

35. For aerial applications, the minimal boom length must not exceed _____% of wing span or rotor diameter.

- 000. 50
- 111. 65
- 222. 75
- 333. 80

36. Do not apply when wind velocity exceeds _____ mph.

- 000. 10
- 111. 15
- 222. 5
- 333. 20